





**4-Star Trailers, Inc.**  
BASE MODEL:4S6C328

**HEAD TO HEAD  
HORSE TRAILER**

Serial No: **44219**

Model: **HTXG6H348080**

Customer: \_\_\_\_\_ ARENA / INV.

Jig: **3** Date: **1/29/26**

6/19/26

**SEE DRAWING**

Width: **8'0"** Length: **33'6"** Height: **8'0"**

|          |   |  |   |
|----------|---|--|---|
| 1        | Coupler Assy:2 5/16" ADJUSTABLE   |  |   |
| 2        | Drop Leg: 12,000# HYDRAULIC SINGLE LEG W/BATTERY BOX & BATTERY WIRED UP   |  | <b>***ALL SMOOTH SKIN TO<br/>BE PP WHITE***</b>   |
| 3        | Subframe Assy: STD  | Overhang:  |   |
| 4        | Axles: 2-102" Capacity: 8,000 Type: <b>DEXT/AIR</b> Brakes: <b>HYD/DRUM</b> Hub: 8-BOLT Mtg. Brkt: 74 3/4"                              |  |   |
| 5        | Tires: <b>235/75R 17.5, 18-PLY **WESTLAKE**</b>   |  | Spare: YES  |
| 6        | Wheels: <b>17.5 X 6.75 ALUMINUM</b>   |  |   |
| 7        | GN Floor Assy:.090 SMOOTH <b>**96" GOOSENECK W/REINFORCEMENT**</b>  |  |   |
| 8        | Floor Assy: SMOOTH (RIBBED) ALUMINUM  |  |   |
| 9        | GN Side Assy: TAPER 12" EACH SIDE W/19" X 34" WINDOWS<br>Drop Ht: 50 7/8"   |  |   |
| ..       | Side Assy: CS: SKIN @ TOP W/(2) 24" X 48" WINDOWS W/BARS @ HIP OF FRONT & REAR STALLS - SEE LINE 33 & 34                                |  |   |
| 12       | SS: SKIN @ TOP W/(2) 24" X 48" WINDOWS W/BARS @ HIP OF FRONT & REAR STALLS - SEE LINE 33 & 34   |  |   |
| 13       | Nose: SKIN W/POLISHED CORNER CAPS   |  |   |
| 14       | Roof: <b>INSULATE &amp; LINE FULL LENGTH OF TRAILER (INCLUDING GOOSENECK)</b>   |  | Top Rail Lgth=                                    |
| 15       | <b>55" Side Ramp:</b> (1) 60" TALL EASY LIFT W/DUTCH DOOR W/WINDOW W/BARS & SINGLE PIPE HARDWARE @ CS                                   |  |   |
| 16       | D/R Door: ONE (1) W/WINDOW CS @ DROP <b>W/FOLD DOWN STEP</b>  |  |   |
| 17       | W/T Door: WALK-THRU DOOR W/WINDOW @ SS <b>W/FOLD DOWN STEP</b>  |  |   |
| 18       | Rear Doors: 60" TALL X FULL WIDTH EASY LIFT RAMP W/DUTCH DOORS W/WINDOWS W/BARS & HORIZONTAL ANTI-RACK BAR                              |  |   |
| 19       | Dividers (4): QUIET RIDE W/WITHER SHIELDS & ATTACHED HEAD SHIELDS, (4) ADDITIONAL DIVIDER SETTINGS: (1) CS WALL & (1) SS WALL IN        |  |   |
| 20       | <b>FRONT STALLS, (2) IN REAR STALLS FOR 2-WIDE STALLS - SEE DRAWING</b>   |  |   |
| 21       | Domelights: SIX (6)   |  |   |
| 22       | Lights & Wiring: STD, EXTRA HEIGHT TURN SIGNALS W/REVERSE LIGHTS, - SEE LINE 40   |  |   |
| 23       | D.O.T. Tape: YES Custom Graphics: <b>NONE</b>   |  |   |
| 24       | X   | Bulkhead Wall: PERM STRAIGHT                       | X Two-Way Roof Vents (6): <b>SEE DRAWING</b>      |
| 25       | X   | Feed Bags (6):                                     | X Floor Mats: <b>D/R FLOOR ONLY - SEE LINE 41</b> |
| 26       | X   | Inside Ties (20): <b>SEE DRAWING</b>               | X Rubber Bulkhead Wall:                           |
| 27       | X   | Outside Ties (12): (6) EACH SIDE                   | X Rubber Side Walls:                              |
| 28       | X   | Butt Bar (8): QUIET RIDE (FOR 2 & 3 WIDE STALLS)   | X Rubber Wheel Wells:                             |
| 29       | X   | Breast Bar (8): QUIET RIDE (FOR 2 & 3 WIDE STALLS) | X Carpet: GN FLOOR & DROP                         |
| 30       | X   | Saddle Racks: (6) ON PERM POST @ SS D/R            | X Bridle Hooks (10): BULKHEAD WALL                |
| 31       | X   | Blanket Bar (1): BULKHEAD WALL                     | X Brush Trays (2): DRESSING ROOM DOOR             |
| OPTIONS: |   |  |   |
| 33       | <b>(4) DROP DOWNS W/WINDOWS W/DROP DOWN WINDOW BARS: (1) CS &amp; (1) SS @ HEAD OF FRONT STALLS, (1) CS &amp; (1) SS @ HEAD OF REAR</b> |  |   |
| 34       | <b>STALLS</b>   |  |   |
| 35       | SEE PAGE 2  |  |   |

VIN: \_\_\_\_\_ BY: \_\_\_\_\_ DATE: \_\_\_\_\_ CHKD: \_\_\_\_\_



36 OPTIONS CONTINUED:

37 (2) FULL WIDTH CENTER GATES W/SPREAD AIR FLOW (BARS) IN TOP SECTION: (1) W/SLAM LATCH @ CS 170" B.O.D. & (1) W/LARGE DOUBLE SWING SLAM LATCH @ CS 280" B.O.D. - FRONT GATE TO LAY AGAINST SS WALL & PIN TO ROOF, REAR GATE TO LAY OVER FRONT GATE & PIN TO ROOF \*\*DO NOT BUILD OUT FRONT GATE - USE FOLD UP DOOR IF NECESSARY\*\*

40 (3) 11" AWNING LIGHTS: (1) @ CS D/R DOOR, (1) @ CS SIDE RAMP & (1) @ REAR

41 W.E.R.M. SEALED RUBBER FLOORING (BLACK) IN HORSE COMPARTMENT ONLY

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

82

83

84

85