



EQUIPMENT HAULER 14K



MODEL	AXLE DESCRIPTION	TIRE SIZE	GAWR	GVWR
EQUIPMENT HAULER 14K				
12x83" EH14	2 - 7000# Dexter	ST235/80R/16 LRE	7000#	14000#
14x83" EH14	2 - Electric Brakes Nev-R-Adjust			
16x83" EH14	E-Z Lube - 1/2 Cambered			
18x83" EH14				
20x83" EH14				
22x83" EH14				
24x83" EH14				

MODEL	AXLE DESCRIPTION	TIRE SIZE	GAWR	GVWR
26x83" EH14				
28x83" EH14				
30x83" EH14				
32x83" EH14				

Standard Equipment

- ST235/80R/16 LRE Tires on 8-Hole
- 2-7000# Dexter Axles w/Electric Brakes
- Axles 1/2 Cambered w/EZ Lube Hubs
- 2 5/16" DEMCO Easy Latch Adjustable 5/Position Coupler
- 10000# Drop Leg Jack
- HD Diamond Plate Fender (Double Broke)
- Treated Pine Floor
- Break Away Unit w/Charger
- Suspension: Slipper Spring
- DOT Reflective Tape
- Sealed Flush Mount LED Lights w/Wiring Harness
- Spare Rack
- Color: Stock

Frame Structure

- Frame & Tongue 6" Channel Thru 24'
- Frame & Tongue 8" Channel 26'-32'
- Front Bumper w/Side Gussets
- Crossmembers: 3" Channel 16" OC
- Stake Pockets w/3/8x2 Rubrail
- Crossmembers: 3" Channel 16" OC
- Stake Pockets w/3/8x2 Rubrail
- 5/8" D-Rings (6)
- 2' Treadplate Dovetail
- Flush Floor

Options

- Spare ST235/80R/16 LRE on 8-Hole
- Weld-on D-Rings 5/8" (Each)
- HD 3/16" Drive Over Fenders
- 3" Square Tube Toprail (Side Option)
- Fork Rack (2-6" Channel tubes set at 46" Outside. Driver side)
- **Fork Rack Tubing & dimensions can be custom w/additional fee.**
- *5' Rear Slide Channel Ramps (Must Purchase 2 Rear Stabalizer Jacks)
- Rear Stabalizer Jack (5K Top Wind Pipe Mount)
- 5' Fold-up Channel Ramp w/Adjustable Knees & Spring Assist
- **3' Self Cleaning Cleated Dovetail & 3' Mini Jumbo Spring Assist Ramps (Must be 20' or longer)
- 5' XM Fold Up Channel Ramp w/Adjustable Knees & Spring Assist
- **Above Ramp is 24" Wide Covered w/Expanded Metal**
- 3-4' Dovetail ILO 2' Dovetail
- 2' Self Cleaning Cleated Dovetail ILO 2' Treadplate Dovetail
- ***Rear Slide-N Ramps on 16' will be 4 1/2'. Rear Slides NA on 12-14'.**
- ****Jumbo Ramps NA on lengths less than 20'**