



SPECIFICATIONS -STEEL GRAVITY TILT STEEL GRAVITY TILT SINGLE AXLE 10K

	78 x 12	78 x 12
Model #	H-GT12-100	H-GT124-100
CAPACITIES		
GVWR (lbs)		9900
GAWR (lbs/axle)		8000
Curb Weight	2250	2500
Payload	7650	7400
CHASSIS		
Coupler	2-5/16" Adjustable	
Tongue	5" Steel Channel, Fully Wrapped	
Tongue Jack	7K Drop Leg, Set-Back	
Frame	5" x 2" Steel Tube	
Crossmembers	3" Steel Channel, 16" On-Center	
Axle	8000 lb. Torsion Brake	
Hubs	Oil Bath	
Exterior Finish	Industrial Grade Polymer Finish	
Tires	215/75R17.5J 18-PLY	
Wheels	17.5", 8-Lug Steel	
Tie Downs	(4) 1/2" D-Rings, Stake Pockets and Rub Rail	
Wiring	Sealed Wiring Harness	
Exterior Lights	Full LED, DOT Compliant	
Bulkhead	Custom Formed	
Dovetail	Diamond Plate Knife Edge	
Decking	2" Pressure Treated Pine, Board Retainers	
Exterior Storage	Tongue Mounted Toolbox	
Hydraulic Components	Hydraulic Cushion Load Cylinder	
Coupler Height	8-17	
Deck Height	21	
Height Overall	32	34
Width Interior	78	
Load Angle	11	
DIMENSIONS		
Overall Length	204	252
Deck Width	78	
Deck Height	21	
Coupler Height	8-17	

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.



SPECIFICATIONS -STEEL GRAVITY TILT STEEL GRAVITY TILT SINGLE AXLE 6K

62 x 10	
Model #	H-GT10-060
CAPACITIES	
GVWR (lbs)	6000
GAWR (lbs/axle)	5200
Curb Weight	1390
Payload	4610
CHASSIS	
Coupler	2-5/16" Adjustable
Tongue	5" Steel Channel, Fully Wrapped
Tongue Jack	7K Drop Leg, Set-Back
Frame	5" x 2" Steel Tube
Crossmembers	3" Steel Channel, 16" On-Center
Axle	5200 lb. Torsion Brake
Hubs	Easy Lube
Exterior Finish	Industrial Grade Polymer Finish
Tires	ST225/75R15D 8-PLY
Wheels	15", 6-Lug Steel
Tie Downs	(4) 1/2" D-Rings, Stake Pockets and Rub Rail
Wiring	Sealed Wiring Harness
Exterior Lights	Full LED, DOT Compliant
Bulkhead	Custom Formed
Dovetail	Diamond Plate Knife Edge
Decking	2" Pressure Treated Pine, Board Retainers
Exterior Storage	Tongue Mounted Toolbox
Hydraulic Components	Hydraulic Cushion Load Cylinder
Coupler Height	8-17
Deck Height	17
Height Overall	32
Width Interior	62
Load Angle	12
DIMENSIONS	
Overall Length	180
Deck Width	62
Deck Height	17
Coupler Height	8-17

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.



SPECIFICATIONS -STEEL GRAVITY TILT STEEL GRAVITY TILT SINGLE AXLE 7.8K

	78 x 12	78 x 12
Model #	H-GT12-078	H-GT124-078
CAPACITIES		
GVWR (lbs)	7800	
GAWR (lbs/axle)	7000	
Curb Weight	1900	2150
Payload	5900	5650
CHASSIS		
Coupler	2-5/16" Adjustable	
Tongue	5" Steel Channel, Fully Wrapped	
Tongue Jack	7K Drop Leg, Set-Back	
Frame	5" x 2" Steel Tube	
Crossmembers	3" Steel Channel, 16" On-Center	
Axle	7000 lb. Torsion Brake	
Hubs	Easy Lube	
Exterior Finish	Industrial Grade Polymer Finish	
Tires	ST235/80R16E 10-PLY	
Wheels	16", 8-Lug Steel	
Tie Downs	(4) 1/2" D-Rings, Stake Pockets and Rub Rail	
Wiring	Sealed Wiring Harness	
Exterior Lights	Full LED, DOT Compliant	
Bulkhead	Custom Formed	
Dovetail	Diamond Plate Knife Edge	
Decking	2" Pressure Treated Pine, 4' Stationary, Board Retainers	
Exterior Storage	Tongue Mounted Toolbox	
Hydraulic Components	Hydraulic Cushion Load Cylinder	
Coupler Height	8-17	
Deck Height	19	
Height Overall	32	
Width Interior	78	
Load Angle	11	
Width Tilting Deck	78	
DIMENSIONS		
Overall Length	204	252
Deck Width	78	
Deck Height	19	
Coupler Height	8-17	

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.