



SPECIFICATIONS -CARGO STEEL ENCLOSED HH SERIES CAR HAULER FLAT TOP

	8.5 x 20		8.5 x 22		8.5 x 24		8.5 x 26		8.5 x 28		8.5 x 20	
Model #	H10120FTCHV-100		H10122FTCHV-100		H10124FTCHV-100		H10126FTCHV-100		H10128FTCHV-100		H10120FTCHV-140	
CAPACITIES												
GVWR (lbs)					9900						14000	
GAWR (lbs/axle)					5200						7000	
Curb Weight	3600		3470		3620		3800		3950		3650	
Payload	6300		6430		6280		6100		5950		10350	
CHASSIS												
Coupler					2-5/16" A-Frame, Posi-Lock						2-5/16" Adjustable	
Tongue					6" x 2" Steel Triple Tube							
Tongue Jack					2K Coupler Mounted						7K Drop Leg, Set-Back	
Front Profile					V-Nose							
Frame					6" x 2" Steel Tube							
Crossmembers					Steel Formed Channel, 16" On-Center							
Roof Bows					Galvanized Steel Tube, 24" On-Center						Galvanized Steel Tube, 16" On-Center	
Wall Posts					Steel Tube, 24" On-Center						Steel Tube, 16" On-Center	
Standard Interior Height					84"							
Ramp(s)					400 Series with Assist							
Side Door					36" Wide Flush Lock, Aluminum Holdback, Barlock							
Integrated Step(s)					Interior Recessed							
Axle					(2) 5200 lb. Drop Spring Brake						(2) 7000 lb. Drop Spring Brake	
Hubs					Easy Lube							
Protective Coating(s)					Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel							
Flooring					3/4" Engineered Wood							
Interior Walls					Engineered Wood							
Interior Trim					Aluminum H-Channel Wall Transitions							
Exterior Finish					Piedmont .080" Composite Panels							
Exterior Fastening					VHB Bonded (Screwless)							
Stone Guard					24" ATP							
Roof					Flat Top .024 Aluminum Sheeted							
Tires					ST225/75R15D 8-PLY						ST235/80R16E 10-PLY	
Wheels					15", 6-Lug Steel						16", 8-Lug Steel	
Tie Downs					(4) Floor Mounted, Non-swivel Recessed D-Rings							
Vents					Sidewall Airflow							
Wiring					Enclosed in Conduit							
Interior Lights					(2) LED Dome Lights, Wall Mount							
Exterior Lights					Full LED, DOT Compliant							
Dovetail					4' Interior							
Height Rear Opening					82							
Width Rear Opening	95				95				95			
Deck Height	22				22				22		23	
Height Overall					93							
Deck Length	267				315				363		267	
Width Interior	98.5				98.5						98.5	
Width Between Fender	82				82						82	
Length Interior Box	267				315				363		267	
DIMENSIONS												
Overall Length	301				349				397		301	

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 20
Deck Length	267		315		363	267
Deck Width	98.5		98.5			98.5
Deck Height	22		22		22	23

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.

	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28
Model #	H10122FTCHV-140	H10124FTCHV-140	H10126FTCHV-140	H10128FTCHV-140
CAPACITIES				
GVWR (lbs)	14000			
GAWR (lbs/axle)	7000			
Curb Weight	3930	4240		4150
Payload	10070	9760		9850
CHASSIS				
Coupler	2-5/16" Adjustable			
Tongue	6" x 2" Steel Triple Tube			
Tongue Jack	7K Drop Leg, Set-Back			
Front Profile	V-Nose			
Frame	6" x 2" Steel Tube			
Crossmembers	Steel Formed Channel, 16" On-Center			
Roof Bows	Galvanized Steel Tube, 16" On-Center			
Wall Posts	Steel Tube, 16" On-Center			
Standard Interior Height	84"			
Ramp(s)	400 Series with Assist			
Side Door	36" Wide Flush Lock, Aluminum Holdback, Barlock			
Integrated Step(s)	Interior Recessed			
Axle	(2) 7000 lb. Drop Spring Brake			
Hubs	Easy Lube			
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel			
Flooring	3/4" Engineered Wood			
Interior Walls	Engineered Wood			
Interior Trim	Aluminum H-Channel Wall Transitions			
Exterior Finish	Piedmont .080" Composite Panels			
Exterior Fastening	VHB Bonded (Screwless)			
Stone Guard	24" ATP			
Roof	Flat Top .024 Aluminum Sheeted			
Tires	ST235/80R16E 10-PLY			
Wheels	16", 8-Lug Steel			
Tie Downs	(4) Floor Mounted, Non-swivel Recessed D-Rings			
Vents	Sidewall Airflow			
Wiring	Enclosed in Conduit			
Interior Lights	(2) LED Dome Lights, Wall Mount			
Exterior Lights	Full LED, DOT Compliant			
Dovetail	4' Interior			
Height Rear Opening	82			
Width Rear Opening		95		95
Deck Height		23		23
Height Overall	93			
Deck Length		315		363
Width Interior		98.5		98.5
Width Between Fender		82		82
Length Interior Box		315		363
DIMENSIONS				
Overall Length		349		397
Deck Length		315		363

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.

	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28
Deck Width		98.5		98.5
Deck Height		23		23

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.