



SPECIFICATIONS -ALUM FLATBED

ALUMINUM FLATBED 7K

	82 x 14	82 x 16	82 x 18
Model #	H-CHA16-070	H-CHA18-070	H-CHA20-070
CAPACITIES			
GVWR (lbs)	7000		
GAWR (lbs/axle)	3500		
Curb Weight	1600	1570	1790
Payload	5400	5430	5210
CHASSIS			
Coupler	2-5/16" A-Frame, Posi-Lock		
Tongue	6" Aluminum Channel, Fully Wrapped		
Tongue Jack	2K Set-Back		
Frame	6" Aluminum Channel		
Crossmembers	3" Aluminum Channel		
Ramp(s)	5' Aluminum (Slide-In)		
Axle	(2) 3500 lb. Spring Brake		
Hubs		Easy Lube	
Tires	ST205/75R15C 6-PLY		
Wheels	15", 5-Lug Aluminum		
Tie Downs	Aluminum Rub Rails, Aluminum Stake Pockets		
Wiring	Sealed Wiring Harness		
Exterior Lights	Full LED, DOT Compliant		
Bulkhead		Aluminum Tube	
Dovetail		2' Aluminum Extrusion	
Decking	2" Pressure Treated Pine		
Deck Height		24	
Height Overall		34	
Width Interior		82.25	
Width Ramp		15	
Length Ramp	60		
DIMENSIONS			
Overall Length	252	276	300
Deck Width		82.25	
Deck Height		24	

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.



SPECIFICATIONS -ALUM FLATBED

ALUMINUM FLATBED 10K

	82 x 14	82 x 16	82 x 18	82 x 20
Model #	H-CHA16-100	H-CHA18-100	H-CHA20-100	H-CHA22-100
CAPACITIES				
GVWR (lbs)	9900			
GAWR (lbs/axle)	5200			
Curb Weight	1840	1970	1860	2200
Payload	8060	7930	8040	7700
CHASSIS				
Coupler		2-5/16" A-Frame, Posi-Lock		
Tongue		6" Aluminum Channel, Fully Wrapped		
Tongue Jack		7K Drop Leg, Set-Back		
Frame		8" Aluminum Channel		
Ramp(s)		5' Aluminum (Slide-In)		
Axle		(2) 5200 lb. Spring Brake		
Hubs		Easy Lube		
Tires		ST225/75R15D 8-PLY		
Wheels		15", 6-Lug Aluminum		
Tie Downs		Aluminum Rub Rails, Aluminum Stake Pockets		
Wiring		Sealed Wiring Harness		
Exterior Lights		Full LED, DOT Compliant		
Bulkhead		Aluminum Tube		
Dovetail		2' Aluminum Extrusion		
Decking		2" Pressure Treated Pine		
Deck Height				26
Height Overall				36
Width Interior				82.25
Width Ramp				15
Length Ramp	60			
DIMENSIONS				
Overall Length	252	276	300	324
Deck Width				82.25
Deck Height				26

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.



SPECIFICATIONS -ALUM FLATBED
ALUMINUM FLATBED 14K

	82 x 16	82 x 18	82 x 20
Model #	H-CHA18-140	H-CHA20-140	H-CHA22-140
CAPACITIES			
GVWR (lbs)		14000	
GAWR (lbs/axle)		7000	
Curb Weight	2220	2240	2385
Payload	11780	11760	11615
CHASSIS			
Coupler		2-5/16" Adjustable	
Tongue		6" Aluminum Channel, Fully Wrapped	
Tongue Jack		12K Drop Leg, Set-Back	
Frame		8" Aluminum Channel	
Crossmembers		4" Aluminum Channel	
Ramp(s)		5' Aluminum (Slide-In)	
Axle		(2) 7000 lb. Slipper Spring Brake	
Hubs		Easy Lube	
Tires		ST235/80R16E 10-PLY	
Wheels		16", 8-Lug Aluminum	
Tie Downs		Aluminum Rub Rails, Aluminum Stake Pockets	
Wiring		Sealed Wiring Harness	
Exterior Lights		Full LED, DOT Compliant	
Bulkhead		Aluminum Tube	
Dovetail		2' Aluminum Extrusion	
Decking		2" Pressure Treated Pine	
Length Ramp		60	
DIMENSIONS			
Overall Length	276	300	324

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.