



4-Star Trailers, Inc. HEAD TO HEAD
HORSE TRAILER

Base Model: 4S6C328

Serial No: Q0015012


Model: HTXG6H368086

ARENA

Customer: _____

WIDTH: 8'6" LENGTH: 35'6" HEIGHT: 8'0" Jig: _____ Date: 10/27/25

RKC



ALL MEASUREMENTS ARE APPROXIMATE

**4-Star Trailers, Inc.**

BASE MODEL:4S6C328

**HEAD TO HEAD
HORSE TRAILER****Serial No: Q0015012****Model: HTXG6H368086**

Customer: _____

ARENA

Jig: _____

Date: **10/27/25**

RKC

SEE DRAWING

Width: **8'6"** Length: **35'6"** Height: **8'0"**

1	Coupler Assy: 2 5/16" ADJUSTABLE	
2	Drop Leg: 12,000# HYDRAULIC SINGLE LEG W/DOUBLE ALUMINUM BATTERY BOX & BATTERY WIRED UP	***ALL SMOOTH SKIN TO
3	Subframe Assy: STD Overhang:	BE PP WHITE***
4	Axles: 2-102" Capacity: 9,000 # Type: DEXT / AIR Brakes: HYD / DISC Hub: 8-BOLT Mtg. Brkt: 70"	
5	Tires: 235/75R 17.5, 18-PLY ***WESTLAKE*** Spare: YES	
6	Wheels: 17.5 X 6.5 ALUMINUM	
7	GN Floor Assy: .090 SMOOTH **96" GOOSENECK W/REINFORCEMENT**	
8	Floor Assy: SMOOTH (RIBBED) ALUMINUM	
9	GN Side Assy: TAPER 12" EACH SIDE W/WINDOWS	
10	Drop Ht: 50 7/8" **DOUBLE WALL, INSULATE, LINE & RUBBER DROP** - SEE LINE 33	
11	Side Assy: CS: SKIN @ TOP W/(2) 24" X 48" WINDOWS W/BARS - SEE LINE 34 & 37	
12	SS: SKIN @ TOP W/(2) 24" X 48" WINDOWS W/BARS - SEE LINE 34	
13	Nose: SKIN W/POLISHED CORNER CAPS	
14	Roof: INSULATE & LINE FULL LENGTH OF TRAILER (INCLUDING GOOSENECK)	Top Rail Lgth=
15	55' Side Ramp: (1) 60" TALL SPRING LOADED W/DUTCH DOOR W/WINDOW W/BARS & SINGLE PIPE HARDWARE @ CS - SEE LINE 39	
16	D/R Door: NONE	
17	W/T Door: (2) W/DROP DOWNS W/WINDOWS & DROP DOWN WINDOW BARS; (1) @ SS DROP & (1) SS TO START 210" B.O.D. - SEE LINE 40	
18	Rear Doors: 60" TALL X FULL WIDTH EASY LIFT RAMP W/DUTCH DOORS W/WINDOWS W/BARS & HORIZONTAL ANTI-RACK HARDWARE	
19	Dividers (4): QUIET RIDE *ROLLING DIVIDERS* W/ATTACHED *FULL TO FLOOR* HEAD SHIELDS, ALL DIVIDERS W/QUIET RIDE REMOVABLE	
20	BABY PANELS W/RUBBER BOTH SIDES - SEE LINE 41 & 42	
21	Domelights: EIGHT (8)	
22	Lights & Wiring: STD, PAIR OF EXTRA HEIGHT TURN SIGNALS, - SEE LINE 47, 48 & 49	
23	D.O.T. Tape: YES Custom Graphics: SEE LINE 55	
24	X Bulkhead Wall: PERM STRAIGHT 72" B.O.D. - SEE LINE 50	X Two-Way Roof Vents (9): SEE DRAWING
25	NO Feed Bags: NONE	NO Floor Mats: NONE - SEE LINE 53
26	X Inside Ties (28): SEE DRAWING	X Rubber Bulkhead Wall: BOTH SIDES
27	X Outside Ties (12): (6) EACH SIDE	X Rubber Side Walls: FULL LENGTH OF TRAILER
28	X Butt Bar (10): QUIET RIDE (FOR 2 & 3 WIDE STALLS) - SEE LINE 51, 52	X Rubber Wheel Wells: SEE LINE 54
29	X Breast Bar (10): QUIET RIDE (FOR 2 & 3 WIDE STALLS) - SEE LINE 51, 52	X Carpet: GOOSENECK FLOOR ONLY
30	NO Saddle Racks: NONE	NO Bridle Hooks: NONE
31	NO Blanket Bar: NONE	NO Brush Trays: NONE
32	OPTIONS:	
33	(1) FULL WIDTH DROP PARTITION @ DROP *BUILD OUT @ CS & SS W/1 X 8"	
34	(4) DROP DOWNS W/WINDOWS & DROP DOWN WINDOW BARS * RAISED 5 1/4' *: (2) CS & (2) SS @ HEAD OF EACH STALL	
35	SEE PAGE 2	

VIN:

BY:

DATE:

CHKD:

DOC Q0015012.fm



4-Star Trailers, Inc.

HEAD TO HEAD
HORSE TRAILER

Serial No: Q0015012

Model: HTXG6H368086

36	OPTIONS CONTINUED:
37	60" TALL X 48" WIDE SPRING LOADED SIDE RAMP W/DUTCH DOOR W/WINDOW W/BARS & SINGLE PIPE HARDWARE @ CS TO START 20"
38	B.O.D. - SEE LINE 39
39	(1) QUIET RIDE STOWAWAY BAR @ FRONT 48" WIDE CS SIDE RAMP, (1) PADDED CHAIN @ 55" WIDE CS SIDE RAMP
40	(2) FOLD DOWN STEPS @ SS: (1) @ EACH WALK-THRU DOOR
41	(8) ADDITIONAL DIVIDER SETTINGS: (2) @ FRONT FOR 2-WIDE STALLS, (2) @ REAR FOR 2-WIDE STALLS, (1) CS WALL @ FRONT, (1) SS WALL
42	@ FRONT, (1) CS WALL @ REAR & (1) SS WALL @ REAR
43	(1) FULL WIDTH TELESCOPING DIVIDER BAR HINGED @ SS WALL W/SPRING LOADED LATCH @ CS WALL (TO BE AS CLOSE AS POSSIBLE
44	TO SIDE RAMP) **DIVIDER BAR TO SWING BOTH DIRECTIONS**
45	(2) FULL WIDTH CENTER GATES W/RUBBER ON BOTH SIDES: (1) W/SLAM LATCH @ CS 196" B.O.D. & (1) W/LARGE DOUBLE SWING SLAM
46	LATCH @ CS 304" B.O.D.
47	LIGHTS & WIRING: (5) LIGHTS EACH TOP RAIL, (3) 18" AWNING LIGHTS: (1) @ EACH CS RAMP & (1) @ REAR, TURN SIGNALS INSTALLED ON
48	BOTTOM RAIL @ CENTER OF TRAILER CS & SS
49	(8) 12-VOLT ELECTRIC FANS: (4) CS & (4) SS - SEE DRAWING
50	BULKHEAD WALL W/PERFORATED ALUMINUM IN TOP 24" SECTION OF WALL
51	BREAST BARS & BUTT BARS TO BE 47" OFF FLOOR
52	STORAGE RACKS FOR QUIET RIDE BREAST & BUTT BARS IN GOOSENECK: (1) CS, (1) SS & (1) @ FRONT - SEE DRAWING
53	W.E.R.M. SEALED RUBBER FLOORING (BLACK) FULL LENGTH OF TRAILER
54	TAPER WHEEL WELLS UP TO SIDES @ CS & SS & TAPER WHEEL WELL ENDS @ REAR ONLY CS & SS
55	GRAPHICS: CHARCOAL MET./ SMOKE MET./ SILVER MET. - STRAIGHT LINES THRU WINDOWS W/TAPE ON REAR RAMP
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	