



**4-Star Trailers, Inc.**  
**HEAD TO HEAD HORSE TRAILER**

Base Model: 4S6C328

Serial No: 44498

Model: HTXG6H368086


Customer: ARENA / INV.

WIDTH: 8'6"      LENGTH: 35'6"      HEIGHT: 8'0"

Jig: 3      Date: 6/8/26

RKC  
 REV. 6/10  
 JBD

10/16/26



ALL MEASUREMENTS ARE APPROXIMATE



4-Star Trailers, Inc.

BASE MODEL:4S6C328

HEAD TO HEAD HORSE TRAILER

Serial No: 44498

Model: HTXG6H368086

Customer: ARENA / INV.

Jig: 3 Date: 6/8/26

PKC  
7.6/10  
JBD

10/16/26

# SEE DRAWING

Width: 8'6" Length: 35'6" Height: 8'0"

1	Coupler Assy: 2 5/16" ADJUSTABLE		
2	Drop Leg: 12,000# HYDRAULIC SINGLE LEG W/DOUBLE ALUM. BATTERY BOX W/(2) BATTERIES WIRED UP		***ALL SMOOTH SKIN TO
3	Subframe Assy: **BLOCK AXLES 3" & ADJUST FENDERS**	Overhang:	BE PP WHITE***
4	Axles: 2-102" Capacity: 9,000 # Type: DEXT/AIR Brakes: HYD / DRUM Hub: 8-BOLT Mtg. Brkt: 72 3/4"		
5	Tires: 235/75R 17.5, 18-PLY **WESTLAKE**	Spare: YES	
6	Wheels: 17.5 X 6.75 ALUMINUM		
7	GN Floor Assy: .090 SMOOTH **96" GOOSENECK W/REINFORCEMENT**		
8	Floor Assy: SMOOTH (RIBBED) ALUMINUM		
9	GN Side Assy: TAPER 12" EACH SIDE W/WINDOWS		
10	Drop Ht: 50 7/8" **DOUBLE WALL, INSULATE, LINE & RUBBER DROP** - SEE LINE 33		
11	Side Assy: CS: SKIN @ TOP W/(2) 24" X 48" WINDOWS W/BARS - SEE LINE 34 & 37		
12	SS: SKIN @ TOP W/(2) 24" X 48" WINDOWS W/BARS - SEE LINE 34		
13	Nose: SKIN W/POLISHED CORNER CAPS		
14	Roof: INSULATE & LINE FULL LENGTH OF TRAILER (INCLUDING GOOSENECK)	Top Rail Lgth=	
15	55" Side Ramp: 60" TALL SPRING LOADED W/DUTCH DOOR W/WINDOW W/BARS & SINGLE PIPE HARDWARE @ CS - SEE LINE 39		
16	D/R Door: NONE		
17	W/T Door: (2) W/DROP DOWNS W/WINDOWS & DROP DOWN WINDOW BARS: (1) SS @ DROP & (1) TO START 210" B.O.D. - SEE LINE 40		
18	Rear Doors: 60" TALL X FULL WIDTH EASY LIFT RAMP W/DUTCH DOORS W/WINDOWS W/BARS & HORIZONTAL ANTI-RACK HARDWARE		
19	Dividers (4): QUIET RIDE *ROLLING DIVIDERS* W/WITHER SHIELDS & ATTACHED *FULL TO FLOOR* HEAD SHIELDS, ALL DIVIDERS W/QUIET		
20	RIDE REMOVABLE BABY PANELS W/RUBBER BOTH SIDES - SEE LINE 41 & 42		
21	Domelights: EIGHT (8)		
22	Lights & Wiring: STD, EXTRA HEIGHT TURN SIGNALS W/REVERSE LIGHTS, - SEE LINE 47, 48 & 49		
23	D.O.T. Tape: YES Custom Graphics: YES - SEE LINE 55		
24	X Bulkhead Wall: PERM STRAIGHT 72" B.O.D. - SEE LINE 50	X Two-Way Roof Vents (9):	SEE DRAWING
25	NO Feed Bags: NONE	NO Floor Mats:	SEE LINE 53
26	X Inside Ties (28): SEE DRAWING	X Rubber Bulkhead Wall:	BOTH SIDES
27	X Outside Ties (12): (6) EACH SIDE	X Rubber Side Walls:	FULL LENGTH OF TRAILER
28	X Butt Bar (10): QUIET RIDE (FOR 2 & 3 WIDE STALLS) - SEE LINE 51, 52	X Rubber Wheel Wells:	SEE LINE 54
29	X Breast Bar (10): QUIET RIDE (FOR 2 & 3 WIDE STALLS) - SEE LINE 51, 52	X Carpet:	GOOSENECK FLOOR ONLY
30	NO Saddle Racks: NONE	NO Bridle Hooks:	NONE
31	NO Blanket Bar: NONE	NO Brush Trays:	NONE
OPTIONS:			
33	(1) FULL WIDTH DROP PARTITION @ DROP *BUILD OUT @ CS & SS W/1 X 8 POST*		
34	(4) DROP DOWNS W/WINDOWS & DROP DOWN WINDOW BARS **RAISED 5 1/4"**: (2) CS & (2) SS @ HEAD OF STALLS		
35	SEE PAGE 2		

VIN: BY: DATE: CHKD:



36	OPTIONS CONTINUED:
37	60" TALL X 48" WIDE <b>SPRING LOADED</b> SIDE RAMP W/DUTCH DOOR W/WINDOW W/BARS & SINGLE PIPE HARDWARE: (1) CS TO START 20" B.O.D... - SEE LINE 39
38	(1) <b>QUIET RIDE</b> STOWAWAY BAR @ FRONT 48" WIDE CS SIDE RAMP, (1) PADDED CHAIN @ CS 55" WIDE SIDE RAMP
40	(2) FOLD DOWN STEPS: (1) @ EACH SS WALK-THRU DOOR
41	(8) ADDITIONAL DIVIDER SETTINGS: (2) @ FRONT FOR 2-WIDE STALLS, (2) @ REAR FOR 2-WIDE STALLS, (1) CS WALL @ FRONT, (1) SS WALL @ FRONT, (1) CS WALL @ REAR & (1) SS WALL @ REAR
42	(1) FULL WIDTH <b>TELESCOPING DIVIDER BAR</b> HINGED @ SS WALL W/SPRING LOADED LATCH @ CS WALL (TO BE AS CLOSE AS POSSIBLE TO SIDE RAMP) <b>**DIVIDER BARS TO SWING BOTH DIRECTIONS**</b>
44	(2) FULL WIDTH CENTER GATES W/RUBBER ON BOTH SIDES: (1) W/SLAM LATCH @ CS 196" B.O.D. & (1) W/ <b>LARGE DOUBLE SWING SLAM</b> LATCH @ CS 304" B.O.D.
45	LIGHTS & WIRING: (5) LIGHTS EACH TOP RAIL, (3) 18" AWNING LIGHTS: (1) @ EACH CS SIDE RAMP & (1) @ REAR, TURN SIGNALS INSTALLED ON BOTTOM RAIL @ CENTER OF TRAILER CS & SS
46	(8) 12-VOLT ELECTRIC FANS: (4) CS & (4) SS - SEE DRAWING
47	BULKHEAD WALL <b>W/PERFORATED ALUMINUM</b> IN TOP 24" SECTION OF WALL
48	BREAST BARS & BUTT BARS TO BE 47" OFF FLOOR
49	(3) STORAGE RACKS FOR QUIET RIDE BREAST & BUTT BARS IN GOOSENECK: (1) CS, (1) SS & (1) @ FRONT WALL - SEE DRAWING
50	W.E.R.M. SEALED RUBBER FLOORING (BLACK) FULL LENGTH OF TRAILER
51	TAPER WHEEL WELLS UP TO SIDES @ CS & SS
52	GRAPHICS: CHARCOAL MET (3") / SMOKE MET (7/8") / SILVER MET (3") - STRAIGHT LINES THRU WINDOWS W/TAPE ON REAR RAMP
56	
57	
58	
59	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
82	
83	
84	
85	