



**SPECIFICATIONS -ST DLX CARGO  
ST DLX FLAT TOP V-NOSE 3K**

	60 x 8	60 x 10	72 x 10	84 x 12	72 x 12	72 x 14
<b>Model #</b>	K-DX6008-030	K-DX6010-030	K-DX7210-030	K-DX8412-030	K-DX7212-030	K-DX7214-030
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	2990					
<b>GAWR (lbs/axle)</b>	3500					
<b>CHASSIS</b>						
<b>Frame</b>	4" x 2" Steel Tube					
<b>Tongue</b>	4" x 2" Steel Tube					
<b>Crossmembers</b>	Formed Steel, 24" On-Center					
<b>Coupler</b>	2" A-Frame					
<b>Coupler Height</b>	17					
<b>Deck Width</b>	56		68	80		68
<b>Deck Height</b>	18					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 24" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	V-Nose					
<b>Ramp(s)</b>	1500 lb. with Assist			2500 lb. with Assist	1500 lb. with Assist	
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	3500 lb. Drop Spring Idler					
<b>Hubs</b>	Easy Lube					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop					
<b>Stone Guard</b>	16" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Vinyl Wall Transitions					
<b>Ceiling</b>	Luan Strip					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(1) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Exterior Lights</b>	Full LED, DOT Compliant					
<b>Warranty</b>	Limited 3-Year Warranty					
<b>Length Interior Box</b>	93	117		141		165
<b>Height Overall</b>	85		91			
<b>Height Interior</b>	65		71			
<b>Height Rear Opening</b>	60		66			
<b>Width Interior</b>	56		68	80		68
<b>Width Rear Opening</b>	53.5		65.5	77.5		65.5
<b>Ramp Load Capacity</b>	1500			2500	1500	

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.

	60 x 8	60 x 10	72 x 10	84 x 12	72 x 12	72 x 14
<b>DIMENSIONS</b>						
<b>Overall Length</b>	152	176		200		224
<b>Deck Width</b>	56		68	80	68	
<b>Deck Height</b>	18					
<b>Coupler Height</b>	17					

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.



**SPECIFICATIONS -ST DLX CARGO  
ST DLX FLAT TOP V-NOSE 5K**

	72 x 12	72 x 14
<b>Model #</b>	K-DX7212-050	K-DX7214-050
<b>CAPACITIES</b>		
<b>GVWR (lbs)</b>	5000	
<b>GAWR (lbs/axle)</b>	5000	
<b>CHASSIS</b>		
<b>Frame</b>	4" x 2" Steel Tube	
<b>Tongue</b>	4" x 2" Steel Tube	
<b>Crossmembers</b>	Formed Steel, 24" On-Center	
<b>Coupler</b>	2" A-Frame	
<b>Coupler Height</b>	18	
<b>Deck Width</b>	68	
<b>Deck Height</b>	19	
<b>Tongue Jack</b>	2K Coupler Mounted	
<b>Wall Studs</b>	Steel Tube, 24" On-Center	
<b>Roof Bows</b>	Steel Tube, 24" On-Center	
<b>Front Profile</b>	V-Nose	
<b>Ramp(s)</b>	1500 lb. with Assist	
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback	
<b>Vents</b>	Sidewall Airflow	
<b>Fenders</b>	Smooth Aluminum	
<b>Axle</b>	5200 lb. Drop Spring Brake	
<b>Hubs</b>	Easy Lube	
<b>Tires</b>	ST225/75R15D 8-PR	
<b>Wheels</b>	15", 6-Hole Steel	
<b>Exterior Finish</b>	.030" Aluminum	
<b>Undercoating</b>	Automotive	
<b>Exterior Fastening</b>	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)	
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop	
<b>Stone Guard</b>	16" ATP	
<b>Roof</b>	Flat Top Seamless Aluminum	
<b>Interior Walls</b>	Engineered Wood	
<b>Interior Trim</b>	Vinyl Wall Transitions	
<b>Ceiling</b>	Lauan Strip	
<b>Flooring</b>	3/4" Engineered Wood	
<b>Interior Lights</b>	(1) LED	
<b>Switches</b>	(1) Dome Light, 12V	
<b>Exterior Lights</b>	Full LED, DOT Compliant	
<b>Warranty</b>	Limited 3-Year Warranty	
<b>Length Interior Box</b>	141	165
<b>Height Overall</b>	92	
<b>Height Interior</b>	71	
<b>Height Rear Opening</b>	66	
<b>Width Interior</b>	68	
<b>Width Rear Opening</b>	65.5	
<b>Ramp Load Capacity</b>	1500	
<b>DIMENSIONS</b>		

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.

	72 x 12	72 x 14
Overall Length	200	224
Deck Width		68
Deck Height		19
Coupler Height		18

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.



**SPECIFICATIONS -ST DLX CARGO  
ST DLX FLAT TOP V-NOSE 7K**

	72 x 12	84 x 12	84 x 14	84 x 16	102 x 16	102 x 18
<b>Model #</b>	K-DX7212-070	K-DX8412-070	K-DX8414-070	K-DX8416-070	K-DX10216-070	K-DX10218-070
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>CHASSIS</b>						
<b>Frame</b>	4" x 2" Steel Tube				6" x 2" Steel Tube	
<b>Tongue</b>	4" x 2" Steel Tube				6" x 2" Steel Triple Tube	
<b>Crossmembers</b>	Formed Steel, 24" On-Center					
<b>Integrated Step(s)</b>					Interior Recessed	
<b>Coupler</b>	2-5/16" A-Frame					
<b>Coupler Height</b>	18				20	
<b>Deck Width</b>	68	80			96	
<b>Deck Height</b>	19				21	
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 24" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	V-Nose					
<b>Ramp(s)</b>	1500 lb. with Assist	2500 lb. with Assist			4000 lb. with Assist	
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback				36" Wide Flush Lock, Wire Holdback	
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop					
<b>Stone Guard</b>	16" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Vinyl Wall Transitions					
<b>Ceiling</b>	Luan Strip					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(1) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Exterior Lights</b>	Full LED, DOT Compliant					
<b>Warranty</b>	Limited 3-Year Warranty					
<b>Length Interior Box</b>	141	165		189		213
<b>Height Overall</b>	97	98			99	
<b>Height Interior</b>	77					
<b>Height Rear Opening</b>	72					
<b>Width Interior</b>	68	80			96	
<b>Width Between Fender</b>					81.5	
<b>Width Rear Opening</b>	65.5	77.5			93.5	

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.

	72 x 12	84 x 12	84 x 14	84 x 16	102 x 16	102 x 18
<b>Ramp Load Capacity</b>	1500		2500			4000
<b>DIMENSIONS</b>						
<b>Overall Length</b>	200		224	248	252	276
<b>Deck Width</b>	68		80			96
<b>Deck Height</b>			19			21
<b>Coupler Height</b>			18			20
<b>102 x 20</b>						
<b>Model #</b>	K-DX10220-070					
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>CHASSIS</b>						
<b>Frame</b>	6" x 2" Steel Tube					
<b>Tongue</b>	6" x 2" Steel Triple Tube					
<b>Crossmembers</b>	Formed Steel, 24" On-Center					
<b>Integrated Step(s)</b>	Interior Recessed					
<b>Coupler</b>	2-5/16" A-Frame					
<b>Coupler Height</b>	20					
<b>Deck Width</b>	96					
<b>Deck Height</b>	21					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 24" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	V-Nose					
<b>Ramp(s)</b>	4000 lb. with Assist					
<b>Side Door</b>	36" Wide Flush Lock, Wire Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop					
<b>Stone Guard</b>	16" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Vinyl Wall Transitions					
<b>Ceiling</b>	Luan Strip					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(1) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Exterior Lights</b>	Full LED, DOT Compliant					
<b>Warranty</b>	Limited 3-Year Warranty					
<b>Length Interior Box</b>	237					
<b>Height Overall</b>	99					
<b>Height Interior</b>	77					
<b>Height Rear Opening</b>	72					
<b>Width Interior</b>	96					

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.

102 x 20

<b>Width Between Fender</b>	81.5
<b>Width Rear Opening</b>	93.5
<b>Ramp Load Capacity</b>	4000
<b>DIMENSIONS</b>	
<b>Overall Length</b>	300
<b>Deck Width</b>	96
<b>Deck Height</b>	21
<b>Coupler Height</b>	20

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.



**SPECIFICATIONS -ST DLX CARGO  
ST DLX FLAT TOP V-NOSE 10K**

	102 x 16	102 x 18	102 x 20	102 x 22	102 x 24
<b>Model #</b>	K-DX10216-100	K-DX10218-100	K-DX10220-100	K-DX10222-100	K-DX10224-100
<b>CAPACITIES</b>					
<b>GVWR (lbs)</b>	9900				
<b>GAWR (lbs/axle)</b>	5000				
<b>CHASSIS</b>					
<b>Frame</b>	6" x 2" Steel Tube				
<b>Tongue</b>	6" x 2" Steel Triple Tube				
<b>Crossmembers</b>	Formed Steel, 16" On-Center				
<b>Integrated Step(s)</b>	Interior Recessed				
<b>Coupler</b>	2-5/16" A-Frame				
<b>Coupler Height</b>	21				
<b>Deck Width</b>	96				
<b>Deck Height</b>	22				
<b>Tongue Jack</b>	2K Coupler Mounted				
<b>Wall Studs</b>	Steel Tube, 24" On-Center				
<b>Roof Bows</b>	Steel Tube, 24" On-Center				
<b>Front Profile</b>	V-Nose				
<b>Ramp(s)</b>	4000 lb. with Assist				
<b>Side Door</b>	36" Wide Flush Lock, Wire Holdback				
<b>Vents</b>	Sidewall Airflow				
<b>Fenders</b>	Smooth Aluminum				
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake				
<b>Hubs</b>	Easy Lube				
<b>Tires</b>	ST225/75R15D 8-PR				
<b>Wheels</b>	15", 6-Hole Steel				
<b>Exterior Finish</b>	.030" Aluminum				
<b>Undercoating</b>	Automotive				
<b>Exterior Fastening</b>	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)				
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop				
<b>Stone Guard</b>	16" ATP				
<b>Roof</b>	Flat Top Seamless Aluminum				
<b>Interior Walls</b>	Engineered Wood				
<b>Interior Trim</b>	Vinyl Wall Transitions				
<b>Ceiling</b>	Luan Strip				
<b>Flooring</b>	3/4" Engineered Wood				
<b>Interior Lights</b>	(1) LED				
<b>Switches</b>	(1) Dome Light, 12V				
<b>Exterior Lights</b>	Full LED, DOT Compliant				
<b>Warranty</b>	Limited 3-Year Warranty				
<b>Length Interior Box</b>	189	213	237	261	285
<b>Height Overall</b>	100				
<b>Height Interior</b>	77				
<b>Height Rear Opening</b>	72				
<b>Width Interior</b>	96				
<b>Width Between Fender</b>	81.5				
<b>Width Rear Opening</b>	93.5				

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.

	102 x 16	102 x 18	102 x 20	102 x 22	102 x 24
<b>Ramp Load Capacity</b>	4000				
<b>DIMENSIONS</b>					
<b>Overall Length</b>	252	276	300	324	348
<b>Deck Width</b>	96				
<b>Deck Height</b>	22				
<b>Coupler Height</b>	21				

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.