



LOW PROFILE DUMP 14K AND LOW PROFILE GOOSENECK DUMP 14K



MODEL	AXLE DESCRIPTION	TIRE SIZE	GAWR
LOW PROFILE DUMP 140			
12x83" DX14	2 - 7000# Dexter	ST235/80R/16 LRE	7000#
14x83" DX14	2 - Electric Brakes Nev-R-Adjust		
16x83" DX14	E-Z Lube - 1/2 Cambered		
GOOSENECK LOW PROFILE DUMP 140	2 - 7000# Dexter	ST235/80R/16 LRE	7000#
14x83" DX14GN	2 - Electric Brakes Nev-R-Adjust		
16x83" DX14GN	E-Z Lube - 1/2 Cambered		

Standard Equipment

- ST235/80R/16 LRE Tires on 8-Hole
- 2-7000# Dexter Axles w/Electric Brakes
- Axles 1/2 Cambered w/EZ Lube Hubs
- 2 5/16" DEMCO Easy Latch Adjustable 5/Position Coupler
- 10000# Drop Leg Jack
- HD Diamond Plate Fender (Double Broke)
- Width: 83" Inside Box
- Break Away Unit w/Charger
- DOT Reflective Tape
- Primed & Painted Underside
- Dual Action Swing Out Doors/1 Piece Spreader Gate

- Slide-N Ramp 6' Channel
- 5/8" D-Rings in Box (4)
- Spare Rack
- Sealed Flush Mount LED Lights
- Side Step (Driver Side)
- Wiring Harness
- Lockable Battery/Pump Box
- Crank Style Roll Tarp & Tie Downs
- Rear Stabilizer Stands
- Color: Black

Frame Structure

- Frame & Tongue: 8" I-Beam Integrated
- Tongue: 8" I-Beam Integrated w/Frame
- Sides: 24" Tall 10 GA Sheet Metal w/Toprail
- Floor: 7 GA Sheet Metal
- Toprail: Rigid 3x2x7GA Rectangular Tubing
- Uprights: Formed Channel
- Dump Body Frame: 6" Channel
- Crossmembers: 3" Channel 16" OC

Options

- DX Spring Loaded Long Arm Retractable Tarp ILO Standard Tarp
- Ground Level Crank Kit For Spring Loaded Long Arm Retractable Tarp (3-4' Sides Only)
- Motorized Spring Loaded Long Arm Retractable Tarp ILO Standard Tarp
- Gas Engine Powered Pump in Lieu of Electric Pump
- Spare ST235/80R/16 LRE on 8-Hole
- Hydraulic 12K Jack Replacing Single 10K Jack
- Telescopic Hoist ILO Scissor Hoist
- Solar Battery Charger
- Jumbo Step (40" Replaces 18" Side Step)

Dump Components

- 520 Scissor Hoist On 14'-16'
- Power Up/Power Down/Gravity Down
- Control: Pistol Grip w/10' Cord
- Safety Prop
- Caulked Seams on Dump Body
- Deep Cycle 12V Marine Battery
- 110 Volt-5 Amp Charger
- 516 Scissor Hoist on 12'

High Sides

- 3' Tall Sheet Metal Sides
- 4' Tall Sheet Metal Sides

