



## SPECIFICATIONS -CAM TILT PBTEF154 CAM BEAST FULL TILT 15.4K

	7 x 18	7 x 20	7 x 22
<b>Model #</b>	P-BTEF8218-154	P-BTEF8220-154	P-BTEF8222-154
<b>CAPACITIES</b>			
<b>GVWR (lbs)</b>		15400	
<b>GAWR (lbs/axle)</b>		7000	
<b>Curb Weight</b>	3800	4000	4200
<b>Payload</b>	11600	11400	11200
<b>CHASSIS</b>			
<b>Coupler</b>	Adjustable 4-Bolt Pintle Ring		
<b>Tongue</b>	8" Flange, 13 lb/ft I-Beam		
<b>Tongue Jack</b>	12K, 2-Speed Drop Leg		
<b>Frame</b>	8", 13 lb/ft I-Beam, Tilting Deck - 6" x 4" x 5/16" Reinforced Angle		
<b>Crossmembers</b>	3" x 2" Tube, 16" On-Center		
<b>Ramp(s)</b>	HD Diamond Plate Knife Edge Tail		
<b>Integrated Step(s)</b>	Side Steps		
<b>Axle</b>	(2) 7000 lb. Slipper Spring Brake		
<b>Hubs</b>	Oil Bath		
<b>Exterior Finish</b>	Industrial Grade Polymer Finish		
<b>Tires</b>	ST235/80R16E 10-PLY		
<b>Wheels</b>	16", 8-Lug Steel		
<b>Tie Downs</b>	(4) 3/4" D-Rings, Banjo Tie-Downs, Oversize 5" x 1/4" Thick Stake Pockets, Stake Pockets		
<b>Exterior Lights</b>	Full LED, DOT Compliant		
<b>Decking</b>	2" Pressure Treated Pine		
<b>Exterior Storage</b>	Large Hydraulic Pump Box with Divider, Interior Light and Gas Spring, Spare Tire Carrier		
<b>Hydraulic Components</b>	Hydraulic Cushion Load Cylinder with Stop Valve		

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.



**SPECIFICATIONS -CAM TILT PBTEF154  
CAM BEAST FULL TILT 17.6K**

	7 x 18	7 x 20	7 x 22
<b>Model #</b>	P-BTEF8218-176	P-BTEF8220-176	P-BTEF8222-176
<b>CAPACITIES</b>			
<b>GVWR (lbs)</b>		17600	
<b>GAWR (lbs/axle)</b>		8000	
<b>Curb Weight</b>	4040	4240	4440
<b>Payload</b>	13560	13360	13160
<b>CHASSIS</b>			
<b>Coupler</b>	Adjustable 4-Bolt Pintle Ring		
<b>Tongue</b>	8" Flange, 13 lb/ft I-Beam		
<b>Tongue Jack</b>	12K, 2-Speed Drop Leg		
<b>Frame</b>	8", 13 lb/ft I-Beam, Tilting Deck - 6" x 4" x 5/16" Reinforced Angle		
<b>Crossmembers</b>	3" x 2" Tube, 16" On-Center		
<b>Ramp(s)</b>	HD Diamond Plate Knife Edge Tail		
<b>Integrated Step(s)</b>	Side Steps		
<b>Axle</b>	(2) 8000 lb. Slipper Spring Brake		
<b>Hubs</b>	Oil Bath		
<b>Exterior Finish</b>	Industrial Grade Polymer Finish		
<b>Tires</b>	215/75R17.5J 18-PLY		
<b>Wheels</b>	17.5", 8-Lug Steel		
<b>Tie Downs</b>	(4) 3/4" D-Rings, Banjo Tie-Downs, Oversize 5" x 1/4" Thick Stake Pockets, Stake Pockets		
<b>Exterior Lights</b>	Full LED, DOT Compliant		
<b>Decking</b>	2" Pressure Treated Pine		
<b>Exterior Storage</b>	Large Hydraulic Pump Box with Divider, Interior Light and Gas Spring, Spare Tire Carrier		
<b>Hydraulic Components</b>	Hydraulic Cushion Load Cylinder with Stop Valve		

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.



**SPECIFICATIONS -CAM TILT PBTEF154  
CAM BEAST FULL TILT 22K**

	7 x 18	7 x 20	7 x 22
<b>Model #</b>	P-BTEF8218-220	P-BTEF8220-220	P-BTEF8222-220
<b>CAPACITIES</b>			
<b>GVWR (lbs)</b>		22000	
<b>GAWR (lbs/axle)</b>		10000	
<b>Curb Weight</b>	4440	4640	4840
<b>Payload</b>	17560	17360	17160
<b>CHASSIS</b>			
<b>Coupler</b>	Adjustable 4-Bolt Pintle Ring		
<b>Tongue</b>	8" Flange, 13 lb/ft I-Beam		
<b>Tongue Jack</b>	12K, 2-Speed Drop Leg		
<b>Frame</b>	8", 15 lb/ft I-Beam		
<b>Crossmembers</b>	3" x 2" Tube, 16" On-Center		
<b>Ramp(s)</b>	HD Diamond Plate Knife Edge Tail		
<b>Integrated Step(s)</b>	Side Steps		
<b>Axle</b>	(2) 10000 lb. Torsion Brake		
<b>Hubs</b>	Oil Bath		
<b>Exterior Finish</b>	Industrial Grade Polymer Finish		
<b>Tires</b>	215/75R17.5J 18-PLY	215/75R17.5J 18-PLY, ST235/75R17.15J 18-PLY	
<b>Wheels</b>	17.5", 8-Lug Steel		
<b>Tie Downs</b>	(4) 3/4" D-Rings, Banjo Tie-Downs, Oversize 5" x 1/4" Thick Stake Pockets, Stake Pockets		
<b>Exterior Lights</b>	Full LED, DOT Compliant		
<b>Decking</b>	2" Pressure Treated Pine		
<b>Exterior Storage</b>	Large Hydraulic Pump Box with Divider, Interior Light and Gas Spring, Spare Tire Carrier		
<b>Hydraulic Components</b>	Hydraulic Cushion Load Cylinder with Stop Valve		

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.



**SPECIFICATIONS -CAM TILT PBTEF154  
CAM BEAST SPLIT TILT 15.4K**

	7 x 20	7 x 22	7 x 22	7 x 24
<b>Model #</b>	P-BTES82164-154	P-BTES82166-154	P-BTES82184-154	P-BTES82204-154
<b>CAPACITIES</b>				
<b>GVWR (lbs)</b>	15400			
<b>GAWR (lbs/axle)</b>	7000			
<b>Curb Weight</b>	4000	4200		4400
<b>Payload</b>	11400	11200		11000
<b>CHASSIS</b>				
<b>Coupler</b>	Adjustable 4-Bolt Pintle Ring			
<b>Tongue</b>	8" Flange, 13 lb/ft I-Beam			
<b>Tongue Jack</b>	12K, 2-Speed Drop Leg			
<b>Frame</b>	8", 13 lb/ft I-Beam, Tilting Deck - 6" x 4" x 5/16" Reinforced Angle			
<b>Crossmembers</b>	3" x 2" Tube, 16" On-Center			
<b>Integrated Step(s)</b>	Side Steps			
<b>Axle</b>	(2) 7000 lb. Slipper Spring Brake			
<b>Hubs</b>	Easy Lube			
<b>Exterior Finish</b>	Industrial Grade Polymer Finish			
<b>Tires</b>	ST235/80R16E 10-PLY			
<b>Wheels</b>	16", 8-Lug Steel			
<b>Tie Downs</b>	(6) 3/4" D-Rings, Banjo Tie-Downs, Oversize 5" x 1/4" Thick Stake Pockets, Stake Pockets			
<b>Exterior Lights</b>	Full LED, DOT Compliant			
<b>Dovetail</b>	Diamond Plate Knife Edge			
<b>Decking</b>	2" Pressure Treated Pine			
<b>Exterior Storage</b>	Large Hydraulic Pump Box with Divider, Interior Light and Gas Spring, Spare Tire Carrier			
<b>Hydraulic Components</b>	Hydraulic Cushion Load Cylinder with Stop Valve			

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.



**SPECIFICATIONS -CAM TILT PBTEF154  
CAM BEAST SPLIT TILT 17.6K**

	7 x 20	7 x 22	7 x 22	7 x 24
<b>Model #</b>	P-BTES82164-176	P-BTES82166-176	P-BTES82184-176	P-BTES82204-176
<b>CAPACITIES</b>				
<b>GVWR (lbs)</b>	17600			
<b>GAWR (lbs/axle)</b>	8000			
<b>Curb Weight</b>	4240	4450	4440	4640
<b>Payload</b>	13360	13150	13160	12960
<b>CHASSIS</b>				
<b>Coupler</b>	Adjustable 4-Bolt Pintle Ring			
<b>Tongue</b>	8" Flange, 13 lb/ft I-Beam			
<b>Tongue Jack</b>	12K, 2-Speed Drop Leg			
<b>Frame</b>	8", 13 lb/ft I-Beam, Tilting Deck - 6" x 4" x 5/16" Reinforced Angle			
<b>Crossmembers</b>	3" x 2" Tube, 16" On-Center			
<b>Ramp(s)</b>	HD Diamond Plate Knife Edge Tail			
<b>Integrated Step(s)</b>	Side Steps			
<b>Axle</b>	(2) 8000 lb. Slipper Spring Brake			
<b>Hubs</b>	Oil Bath			
<b>Exterior Finish</b>	Industrial Grade Polymer Finish			
<b>Tires</b>	215/75R17.5J 18-PLY			
<b>Wheels</b>	17.5", 8-Lug Steel			
<b>Tie Downs</b>	(6) 3/4" D-Rings, Banjo Tie-Downs, Oversize 5" x 1/4" Thick Stake Pockets, Stake Pockets			
<b>Exterior Lights</b>	Full LED, DOT Compliant			
<b>Decking</b>	2" Pressure Treated Pine			
<b>Exterior Storage</b>	Large Hydraulic Pump Box with Divider, Interior Light and Gas Spring, Spare Tire Carrier			
<b>Hydraulic Components</b>	Hydraulic Cushion Load Cylinder with Stop Valve			

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.



**SPECIFICATIONS -CAM TILT PBTEF154  
CAM BEAST SPLIT TILT 22K**

	7 x 20	7 x 22	7 x 22	7 x 24	7 x 24	7 x 26
<b>Model #</b>	P-BTES82164-220	P-BTES82184-220	P-BTES82166-220	P-BTES82204-220	P-BTES82168-220	P-BTES82206-220
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	22000					
<b>GAWR (lbs/axle)</b>	10000					
<b>Curb Weight</b>	4640	4840		5040	5280	5540
<b>Payload</b>	17360	17160		16960	16720	16460
<b>CHASSIS</b>						
<b>Coupler</b>	Adjustable 4-Bolt Pintle Ring					
<b>Tongue</b>	8" Flange, 13 lb/ft I-Beam					
<b>Tongue Jack</b>	12K, 2-Speed Drop Leg					
<b>Frame</b>	8", 15 lb/ft I-Beam					
<b>Crossmembers</b>	3" Steel Channel			3" x 2" Tube, 16" On-Center		
<b>Ramp(s)</b>	HD Diamond Plate Knife Edge Tail					
<b>Integrated Step(s)</b>	Side Steps					
<b>Axle</b>	(2) 10000 lb. Torsion Brake					
<b>Hubs</b>	Oil Bath					
<b>Exterior Finish</b>	Industrial Grade Polymer Finish					
<b>Tires</b>	ST235/75R17.15J 18-PLY	215/75R17.5J 18-PLY		ST235/75R17.15J 18-PLY		
<b>Wheels</b>	17.5", 8-Lug Steel					
<b>Tie Downs</b>	(6) 3/4" D-Rings, Banjo Tie-Downs, Oversize 5" x 1/4" Thick Stake Pockets, Stake Pockets					
<b>Exterior Lights</b>	Full LED, DOT Compliant					
<b>Decking</b>	2" Pressure Treated Pine					
<b>Exterior Storage</b>	Large Hydraulic Pump Box with Divider, Interior Light and Gas Spring, Spare Tire Carrier					
<b>Hydraulic Components</b>	Hydraulic Cushion Load Cylinder with Stop Valve					

Features and Specifications subject to change without notice. Please contact your local dealer for confirmation.